


# MENABO

free time on the move



## SHADOW CADDY BLACK

IT Istruzioni di montaggio

EN Fitting instructions

DE Montageanleitung

FR Instructions de montage

ES Instrucciones de montaje

BG инструкции за сглобяване

CS Návod na montáž

DA Monteringsvejledning

EL Οδηγίες συναρμολόγησης

ET Paigaldusjuhend

FI Asennusohje

HR Uputa za sastavljanje

HU A felszerelés módja

LT Pritvirtinimo instrukcijos

LV Stiprināšanas instrukcija

NL Montagehandleiding

NO Monteringsanvisning

PL Instrukcja montażu

PT Instruções de Montagem

RO Instrucțiuni de montare

RU Инструкции по установке

SK Návod na montáž

SL Navodila za pritrjevanje


SV Monteringsanvisning













TK Uydurma talimat

ZH 裝修指導




















AR كتيب التعليمات

IT) Componenti (Inclusi) | EN) Components (Included) | FR) Composants (Comprises)  
 DE) Die Komponenten (im Lieferumfang enthalten) | ES) Componentes (Incluido)







 8 M8x20 <b>x2</b>	 9 M6x20 <b>x2</b>	 10 M6x25 <b>x6</b>	 11 M6x45 <b>x6</b>	 12 <b>x4</b>	 13 <b>x2</b>
 14 <b>x6</b>	 15 <b>x12</b>	 16 M6x12 <b>x6</b>	 17 <b>x3</b>	 18 5mm 0.2" <b>x1</b>	 22 2.5m 8.2ft <b>x1</b>

IT) Ricambi (A Richiesta) | EN) Spare Parts (Made to order) | DE) E Teile (auf Anfrage)  
 FR) Pièces de rechange (Sur commande) | ES) Piezas de recambio (Previa solicitud)



 <b>x1</b>	 <b>x1</b>	 <b>x1</b>	 6x55 mm 0.3x2.1" <b>x2</b>	 <b>x2</b>	 <b>x2</b>	
700030200000		700017400000		700015700000	700030300000	700015500000
 <b>x2</b>	 <b>x2</b>	 <b>x6</b>	 <b>x4</b>	 <b>x6</b>	 <b>x6</b>	
700030400000						
 <b>x1</b>	 <b>x2</b>	 <b>x4</b>	 5mm 0.2" <b>x1</b>	 2.5m 8.2ft <b>x1</b>	 Caddy (2K) 2015>2021 <b>x2</b>	
000026400000		700041400000		700025000000	700001100000	700042700000
 Caddy (SB) 2.0 2021> <b>x1</b>						
700051100000						

1





IT) Bocche esclusivamente di metallo.  
 EN) Only full metal receivers.  
 ES) Casquillos exclusivamente metálicos.  
 FR) Douilles uniquement en métal.  
 DE) Gewindeöffnung muss aus Metall sein.



2





3




4




A




2Nm  
1.5 lbf·ft






Caddy (2K) 2015>2021



Caddy (SB) 2.0 2021>




B






x6

5




x3



6








7




8







10



11



	<p>MIN Ø23 mm / 1" MAX Ø75 mm / 3"</p> <p>MIN 30x50 mm / 1.2"x2" MAX 50x75 mm / 2"x 3"</p>	<p>MIN 22" MAX 29"</p>	<p>MAX 80mm / 3.1"</p>	<p>MAX 1230mm / 48.4"</p>
--	--	----------------------------	------------------------	---------------------------



**a**

1. Torque wrench is applied to the handlebar stem. A curved arrow indicates the direction of rotation. **1,5 Nm**  
**1.1 lbf·ft**

2. The torque wrench is shown in a different position, still with the curved arrow. **x3**

3. The torque wrench is shown with a key inserted into the adjustment dial, indicating the final setting.





**b**

1. Torque wrench is applied to the front wheel axle. A curved arrow indicates the direction of rotation. **x6**


2. Torque wrench is applied to the rear wheel axle. A curved arrow indicates the direction of rotation. **2 Nm**  
**1.5 lbf·ft**














3. Comparison of correct and incorrect torque wrench placement on the handlebar stem. The 'NO' image shows the wrench on the side of the stem, while the 'OK' image shows it on the top. **NO** **OK**

4. Comparison of correct and incorrect torque wrench placement on the handlebar stem. The 'NO' image shows the wrench on the side of the stem, while the 'OK' image shows it on the top.



		x3 Standard bike Max 15kg / 33lb	x2 E-bike Max 22kg / 48.5lb
Shadow black Caddy (2K) 2015>2021	13,9 kg / 30.6lb	MAX 45 kg / 99 lb	
Shadow black Caddy (SB) 2.0 2021>	14,2kg/ 31.3lb		





F.lli Menabò S.r.l.  
Via 8 Marzo, 3 -Z.I. Corte Tegge  
42025 Cavriago (RE) ITALY  
customer@flli-menabo.it  
www.menabocaraccessories.com



5003680001  
03/12/2025